

**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING****Product Name** DYNA-CHLOR SM PLUS**Other means of identification****Product Code** 441  
**UN/ID No.** NA1760  
**Synonyms** None**Recommended use of the chemical and restrictions on use****Recommended Use** Metal-Safe Chlorinated Alkaline CIP Cleaner.  
**Uses advised against** No information available**Manufacturer Address**

Anderson Chemical Company, 325 South Davis Avenue, Litchfield, MN 55355 (320-693-2477)

**Emergency telephone number**

Chemtrec 1-800-424-9300

**2. HAZARDS IDENTIFICATION****Classification****OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

**Label elements****Emergency Overview****Danger****Hazard statements**

Causes severe skin burns and eye damage

**Appearance** No information available**Physical state** liquid**Odor** Slight chlorine**Precautionary Statements - Prevention**Do not breathe dust/fume/gas/mist/vapors/spray  
Wash face, hands and any exposed skin thoroughly after handling  
Wear protective gloves/protective clothing/eye protection/face protection**Precautionary Statements - Response**Immediately call a POISON CENTER or doctor/physician  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
 Wash contaminated clothing before reuse  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 Immediately call a POISON CENTER or doctor/physician  
 IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)****Other Information**

- Toxic to aquatic life with long lasting effects
- Toxic to aquatic life

Unknown Acute Toxicity 7.5% of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Potassium hydroxide	1310-58-3	6.75	
Sodium hypochlorite	7681-52-9	2.25	

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

**First aid measures**

<b>General advice</b>	Immediate medical attention is required.
<b>Eye contact</b>	Flush immediately with water for 15 minutes. Lift upper and lower eyelids for complete rinsing. Get immediate medical attention.
<b>Skin Contact</b>	Flush with water for 15 minutes. If irritation persists after rinsing, get medical attention. Remove contaminated clothing and wash before reuse.
<b>Inhalation</b>	Remove victim from immediate source of exposure to fresh air. If breathing is difficult, administer oxygen if available. If victim is not breathing, administer CPR. If individual experiences nausea, headache, or dizziness, get immediate medical attention.
<b>Ingestion</b>	Rinse mouth with water. Give water to dilute. Do not induce vomiting. Get immediate medical attention. Never give anything by mouth to a semi-comatose, comatose, convulsing or unconscious person.
<b>Self-protection of the first aider</b>	Use personal protective equipment as required.

**Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	Corrosive. Causes irritation (possibly severe), burns to the eyes. May cause permanent eye damage. Causes irritation (possibly severe), burns to the skin. Causes irritation (possibly severe), burns, pulmonary edema to the respiratory tract. Causes irritation (possibly severe), burns, nausea, vomiting to the gastrointestinal tract. The severity of effects depend on concentration and how soon after exposure the area is washed.
-----------------	--

**Indication of any immediate medical attention and special treatment needed**

<b>Note to physicians</b>	Treat symptomatically.
---------------------------	------------------------

## 5. FIRE-FIGHTING MEASURES

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media** None known.

### Specific hazards arising from the chemical

If the stock solution container breaks, the solution should be handled with care as it is corrosive. Direct contact with water can cause a violent exothermic reaction. Highly exothermic reactions with organic or oxidizable materials may cause fires in adjacent, heat sensitive material.

**Hazardous combustion products** Toxic fumes of sodium oxide, HOCL, chlorine, HCl, NaCl, sodium chlorate and oxygen.

### Explosion data

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use water spray to cool fire exposed containers. Move containers from fire area if you can do it without risk.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Evacuate nonessential personnel. Ventilate area. Wear appropriate personal protection equipment.
<b>Environmental precautions</b>	See Section 12 for additional ecological information.
<b>Methods for containment</b>	Completely contain spilled material with dikes or sand bags, etc. Remove free liquid. Contain spill and keep from entering waterways or sewers.
<b>Methods for cleaning up</b>	Recover as much material as possible into containers for disposal or reuse. Remaining material may be diluted with water and neutralized. Flush spill area with water. Neutralization products, both solid and liquid, must be recovered for disposal.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

<b>Advice on safe handling</b>	Do not get in eyes, on skin, or clothing. Do not breathe vapors or mists. Do not ingest. Wash thoroughly after handling. Wear protective clothing/equipment. Use with adequate ventilation.
--------------------------------	---

### Conditions for safe storage, including any incompatibilities

<b>Storage Conditions</b>	Keep containers tightly closed and properly labeled. Containers that have been emptied will retain product residue and should be handled as if they were full. Store in a cool, dry, well-ventilated place away from incompatible materials. Wash hands before eating, drinking, using tobacco, applying make-up or using the toilet. Do not store, use, and/or consume foods, beverages, tobacco in areas where this product is stored. Do not store in aluminum container or use aluminum fittings or transfer lines, as flammable hydrogen gas can be generated.
---------------------------	---

**Incompatible materials**

Acids, ammonia, ether, halogenated compounds, oxidizing agents, reducing agents, oxidizable or combustible materials such as wood, cloth or organic materials, prolonged contact with aluminum, brass, bronze, copper, lead, tin, zinc or other alkali sensitive metals or alloys. Avoid contact with heavy metal such as iron, magnesium, aluminum, manganese, chromium, nickel and their alloys. Avoid contact with leather, wool, organic nitro compounds.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control parameters****Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

**Appropriate engineering controls**

Showers  
Eyewash stations  
Ventilation systems.

**Individual protection measures, such as personal protective equipment**

<b>Eye/face protection</b>	Wear protective splash proof safety goggles. Additional full face protection is recommended if splashing is a possibility.
<b>Skin and body protection</b>	Wear protective gloves and protective clothing.
<b>Respiratory protection</b>	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene Considerations**

Wash contaminated clothing before reuse. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Wash hands thoroughly after handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Information on basic physical and chemical properties**

<b>Physical state</b>	liquid	<b>Odor</b>	Slight chlorine
<b>Appearance</b>	No information available	<b>Odor threshold</b>	No information available
<b>Color</b>	clear light yellow		
<b>Property</b>	<b>Values</b>	<b>Remarks • Method</b>	
<b>pH</b>	12.2, 1% Solution		
<b>Melting point/freezing point</b>	No information available		
<b>Boiling point / boiling range</b>	No information available		
<b>Flash point</b>	Not applicable		
<b>Evaporation rate</b>	No information available		
<b>Flammability (solid, gas)</b>	No information available		
<b>Flammability Limit in Air</b>			
<b>Upper flammability limit:</b>	No information available		
<b>Lower flammability limit:</b>	No information available		
<b>Vapor pressure</b>	No information available		
<b>Vapor density</b>	No information available		
<b>Specific Gravity</b>	1.128		
<b>Water solubility</b>	Soluble in water		
<b>Solubility in other solvents</b>	No information available		
<b>Partition coefficient</b>	No information available		

<b>Autoignition temperature</b>	No information available
<b>Decomposition temperature</b>	No information available
<b>Kinematic viscosity</b>	No information available
<b>Dynamic viscosity</b>	No information available
<b>Explosive properties</b>	No information available
<b>Oxidizing properties</b>	No information available

**Other Information**

<b>Softening point</b>	No information available
<b>Molecular weight</b>	No information available
<b>VOC Content (%)</b>	No information available
<b>Density</b>	No information available
<b>Bulk density</b>	No information available

## 10. STABILITY AND REACTIVITY

**Reactivity**

No data available

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Conditions to avoid**

Will react with some metals forming flammable hydrogen gas. Will react with acids to produce chlorine gas.

**Incompatible materials**

Acids, ammonia, ether, halogenated compounds, oxidizing agents, reducing agents, oxidizable or combustible materials such as wood, cloth or organic materials, prolonged contact with aluminum, brass, bronze, copper, lead, tin, zinc or other alkali sensitive metals or alloys. Avoid contact with heavy metal such as iron, magnesium, aluminum, manganese, chromium, nickel and their alloys. Avoid contact with leather, wool, organic nitro compounds.

**Hazardous Decomposition Products**

Toxic fumes of sodium oxide, HOCL, chlorine, HCl, NaCl, sodium chlorate and oxygen.

## 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure**

<b>Product Information</b>	No data available
<b>Inhalation</b>	May cause irritation of respiratory tract.
<b>Eye contact</b>	Severely irritating to eyes.
<b>Skin Contact</b>	Avoid contact with skin. Contact causes severe skin irritation and possible burns.
<b>Ingestion</b>	Harmful if swallowed. Can burn mouth, throat, and stomach.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Potassium hydroxide 1310-58-3	= 214 mg/kg ( Rat )	-	-
Sodium hypochlorite 7681-52-9	= 8200 mg/kg ( Rat )	> 10000 mg/kg ( Rabbit )	-

**Information on toxicological effects**

**Symptoms** No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Skin corrosion/irritation</b>	Irritating to skin.
<b>Serious eye damage/eye irritation</b>	Risk of serious damage to eyes.
<b>Irritation</b>	Causes severe irritation and or burns.
<b>Corrosivity</b>	Causes severe burns.
<b>Sensitization</b>	No information available.
<b>Germ cell mutagenicity</b>	No information available.
<b>Carcinogenicity</b>	No information available.

Chemical Name	ACGIH	IARC	NTP	OSHA
Sodium hypochlorite 7681-52-9	-	Group 3	-	-

<b>Reproductive toxicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.
<b>Aspiration hazard</b>	No information available.

**Numerical measures of toxicity - Product Information**

**Unknown Acute Toxicity** 7.5% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

7.5% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Potassium hydroxide 1310-58-3	-	80: 96 h <i>Gambusia affinis</i> mg/L LC50 static	-
Sodium hypochlorite 7681-52-9	0.095: 24 h <i>Skeletonema costatum</i> mg/L EC50	0.06 - 0.11: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 4.5 - 7.6: 96 h <i>Pimephales promelas</i> mg/L LC50 static 0.4 - 0.8: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 0.28 - 1: 96 h <i>Lepomis macrochirus</i> mg/L LC50 flow-through 0.05 - 0.771: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through 0.03 - 0.19: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 semi-static 0.18 - 0.22: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static	2.1: 96 h <i>Daphnia magna</i> mg/L EC50 0.033 - 0.044: 48 h <i>Daphnia magna</i> mg/L EC50 Static

**Persistence and degradability**

No information available.

**Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
Potassium hydroxide 1310-58-3	0.65
	0.83

**Other adverse effects** No information available

## 13. DISPOSAL CONSIDERATIONS

**Waste treatment methods**

**Disposal of wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging** Do not reuse container.

Chemical Name	California Hazardous Waste Status
Potassium hydroxide 1310-58-3	Toxic Corrosive

**14. TRANSPORT INFORMATION**

<b>DOT</b>	Regulated
<b>UN/ID No.</b>	NA1760
<b>Proper shipping name</b>	Compounds, Cleaning Liquid
<b>Hazardous ingredients</b>	Potassium Hydroxide/Sodium Hypochlorite)
<b>Hazard Class</b>	8
<b>Packing Group</b>	II

**15. REGULATORY INFORMATION**

**International Inventories**

<b>TSCA</b>	Does not comply
<b>DSL/NDSL</b>	Does not comply
<b>EINECS/ELINCS</b>	Does not comply
<b>ENCS</b>	Does not comply
<b>IECSC</b>	Does not comply
<b>KECL</b>	Does not comply
<b>PICCS</b>	Does not comply
<b>AICS</b>	Does not comply

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

**US Federal Regulations**

**SARA 311/312 Hazard Categories**

Serious eye damage or irritation  
 Skin corrosion or irritation

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide 1310-58-3	1000 lb	-	-	X
Sodium hypochlorite 7681-52-9	100 lb	-	-	X

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium hydroxide 1310-58-3	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ
Sodium hypochlorite 7681-52-9	100 lb	-	RQ 100 lb final RQ RQ 45.4 kg final RQ

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Potassium hydroxide 1310-58-3	X	X	X
Sodium hypochlorite 7681-52-9	X	X	X

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not Applicable

**16. OTHER INFORMATION**

<b>NFPA</b>	Health hazards 2	Flammability 0	Instability 1	Physical and Chemical Properties -
<b>HMIS</b>	Health hazards 2	Flammability 0	Physical hazards 1	Personal protection X

Prepared By Imt  
Issue Date 02-Dec-2021  
Revision Date 02-Dec-2021

Revision Note  
30-Oct-2020-Updated Section 15

**Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet