

SAFETY DATA SHEET

Issue Date 01-Dec-2014 Revision Date 8-Sep-2020 Version 3

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name SR 2

Other means of identification

Product Code 318

UN/ID No. See section 14

Synonyms None

Recommended use of the chemical and restrictions on use
Recommended Use Emulsifying Pre-Spotter.
Uses advised against No information available

Manufacturer Address

Anderson Chemical Company, 325 South Davis Avenue, Litchfield, MN 55355 (320-693-2477)

Emergency telephone number

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

Label elements

Emergency Overview

Danger

Hazard statements

Causes severe skin burns and eye damage



Appearance aqueous solution

Physical state liquid

Odor Solvent

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

Specific treatment (see Section 4 on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity

6% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
2-Butoxyethanol	111-76-2	4	
Potassium hydroxide	1310-58-3	2.7	

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Eye contact Flush immediately with water for 15 minutes. Lift upper and lower eyelids for complete

rinsing. Get immediate medical attention.

Skin Contact Flush with water for 15 minutes. If irritation persists after rinsing, get medical attention.

Remove contaminated clothing and wash before reuse.

Inhalation Remove victim to fresh air. If breathing difficulty occurs or persists, get medical attention.

Ingestion Rinse mouth with water. Give water to dilute. Do not induce vomiting. Get immediate

medical attention. Never give anything by mouth to a semi-comatose, comatose, convulsing

or unconscious person.

Most important symptoms and effects, both acute and delayed

Symptoms Causes irritation (possibly severe), burns to the eyes. May cause permanent eye damage.

Causes irritation to the skin, potentially toxic if absorbed. May irritate the nose, throat and respiratory tract if inhaled. Causes irritation (possibly severe), burns, nausea, vomiting to

the gastrointestinal tract. Moderately toxic if ingested.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water. Alcohol resistant foam. Carbon dioxide (CO2). Dry chemical.

Unsuitable extinguishing media None known.

Specific hazards arising from the chemical

Closed containers may rupture (due to buildup of pressure) when exposed to extreme heat.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use water spray to cool fire exposed containers. Move containers from fire area if you can do it without risk.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate nonessential personnel. Ventilate area. Wear appropriate personal protection

equipment. Remove all sources of ignition.

Environmental precautions See Section 12 for additional ecological information. Prevent run-off into ground or surface

waters or sewers.

Methods for containmentCompletely contain spilled material with dikes or sand bags, etc.

Methods for cleaning up Recover as much material as possible into containers for disposal or reuse. Remaining

material may be diluted with water and neutralized. Flush spill area with water. Neutralization products, both solid and liquid, must be recovered for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Do not get in eyes, on skin, or clothing. Do not breathe vapors or mists. Do not ingest.

Wash thoroughly after handling. Wear protective clothing/equipment. Use with adequate

ventilation.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed and properly labeled. Containers that have been emptied will

retain product residue and should be handled as if they were full. Store in a cool, dry, well-ventilated place away from incompatible materials. Wash hands before eating, drinking, using tobacco, applying make-up or using the toilet. Do not store, use, and/or consume foods, beverages, tobacco in areas where this product is stored. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static

electricity).

Incompatible materials Strong bases. Prolonged contact with aluminum, brass, bronze, copper, lead,

tin, zinc or other alkali sensitive metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

Appropriate engineering controls

Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection If contact is anticipated, wear protective clothing appropriate to use conditions.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state liquid

Appearance aqueous solution Odor Solvent

Color clear red Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 10.4 1% Solution

Melting point/freezing point
Boiling point / boiling range
Flash point
Evaporation rate
Flammability (solid, gas)

No information available
No information available
No information available
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available
No information available

Specific Gravity 1.029

Water solubility Soluble in water

Solubility in other solvents No information available Partition coefficient No information available No information available **Autoignition temperature Decomposition temperature** No information available Kinematic viscosity No information available No information available **Dynamic viscosity Explosive properties** No information available **Oxidizing properties** No information available

Other Information

Softening point
Molecular weight
VOC Content (%)
Density
No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Strong acids. Strong bases. Prolonged contact with aluminum, brass, bronze, copper, lead, tin, zinc or other alkali sensitive metals.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information No data available

Inhalation May cause irritation of respiratory tract.

Eye contact Severely irritating to eyes.

Skin ContactContact causes severe skin irritation and possible burns.

Ingestion No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-Butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 220 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h
Potassium hydroxide 1310-58-3	= 214 mg/kg(Rat)	-	-

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.CarcinogenicityNo information available.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol	A3	Group 3	-	-
111-76-2				

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 6% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 3303 ATEmix (dermal) 11000 ATEmix (inhalation-dust/mist) 15 ATEmix (inhalation-vapor) 4500

12. ECOLOGICAL INFORMATION

Ecotoxicity

8% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-Butoxyethanol	-	1490: 96 h Lepomis macrochirus	1698 - 1940: 24 h Daphnia magna
111-76-2		mg/L LC50 static 2950: 96 h	mg/L EC50 1000: 48 h Daphnia
		Lepomis macrochirus mg/L LC50	magna mg/L EC50
Potassium hydroxide	-	80: 96 h Gambusia affinis mg/L	-
1310-58-3		LC50 static	<u>'</u>

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient
2-Butoxyethanol 111-76-2	0.81
Potassium hydroxide 1310-58-3	0.65 0.83

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

Chemical Name	California Hazardous Waste Status
Potassium hydroxide	Toxic
1310-58-3	Corrosive

14. TRANSPORT INFORMATION

<u>DOT</u> This product can ship as a LTD QTY if packaged in <1.3 gallon containers (Non Hazardous)

UN/ID No. NA1760

Proper shipping name Compounds, Cleaning Liquid

Hazardous ingredients (potassium hydroxide)

Hazard Class 8
Packing Group III

15. REGULATORY INFORMATION

International Inventories

TSCA Does not comply

DSL/NDSL	Does not comply
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Does not comply
KECL	Does not comply
PICCS	Does not comply
AICS	Does not comply

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Nonylphenol Ethoxylates CAS No: 127087-87-0	6.0% by weight
2-Butoxyethanol CAS No: 111-76-2	4.0% by weight

SARA 311/312 Hazards

Serious eye damage or eye irritation

Skin corrosion or irritation

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide	1000 lb	-	-	X
1310-58-3				

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium hydroxide	1000 lb	-	RQ 1000 lb final RQ
1310-58-3			RQ 454 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-Butoxyethanol 111-76-2	X	X	X
Potassium hydroxide 1310-58-3	X	X	X

U.S. EPA Label Information

Revision Date 8-Sep-2020

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION

NFPA Health hazards 2 Flammability 1 Instability 0 Physical and Chemical

Properties -

Health hazards 2 Flammability 1 Physical hazards 0 Personal protection X

Prepared By Imt

Issue Date01-Dec-2014Revision Date8-Sep-2020

Revision Note

15-Sept-2017 Changed/Standardized DoT wording in Sections 1 and 14. Added hazard classification for Serious eye damage/ eye. 08-Sept-2020-Updated Section 15.

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet