

SAFETY DATA SHEET

Emergency Phone #: 1-800-424-9300
Non-Emergency Phone #: 1-800-401-4780

Last revision date: 4/1/2020
Print date: 9/25/2020

Section 07: HANDLING & STORAGE

Handling: Avoid contact with eyes. Avoid breathing vapors or mist of this product. Wash thoroughly after handling. As with all chemicals, good industrial hygiene practices should be followed when handling this material.

Storage: Do not store on side. Avoid creasing or impacting of side walls. Keep from freezing and away from high heat, flames or other ignition sources.

Section 08: EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection: None required if good ventilation is maintained. For mist or vapor, wear NIOSH approved respirator.

Eye protection: Splash proof safety goggles.

Gloves: Rubber or neoprene.

Protective clothing: Impervious apron, faceshield.

Other precautions: Eye wash station; safety shower; protective clothing to prevent skin contact.

Section 09: PHYSICAL & CHEMICAL PROPERTIES

Boiling Point: N/D
pH (10% Solution): 7 – 9
Vapor Pressure: N/D
Flash Point: (AB C.C.): 128°F
Vapor Density (air=1): Heavier than air
% volatile by weight: 1.5%
Specific Gravity (H₂O=1): 0.931 (7.73 lbs/gal)
Molecular Weight: N/D
Solubility in Water: Soluble
Evaporation rate: N/D
Appearance: Colorless to light straw in color
Odor: Ethanolic

Section 10: REACTIVITY DATA

Product stability: Stable
Conditions to avoid: N/A
Chemical incompatibility: Strong oxidizers or reducing agents
Hazardous decomposition products: Toxic hydrogen chloride fumes, oxides of carbon and nitrogen.
Hazardous polymerization: Will not occur
Corrosive to metal?: YES
Oxidizer?: NO

SAFETY DATA SHEET

Emergency Phone #: 1-800-424-9300
Non-Emergency Phone #: 1-800-401-4780

Last revision date: 4/1/2020
Print date: 9/25/2020

Section 11: TOXICOLOGICAL INFORMATION

Acute oral LD₅₀: 5,000 mg/Kg (calculation method)
Acute dermal LD₅₀: 1,407 mg/Kg (Rabbit)
Primary skin: CORROSIVE
Primary eye: CORROSIVE
Other: This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

Section 12: ECOLOGICAL INFORMATION

Toxicity data: Components of this product are hazardous to aquatic life. This is an EPA registered pesticide. This material can only be used for the EPA registered application noted on the product label.

Section 13: DISPOSAL CONSIDERATIONS

Although not considered a hazardous waste, the discarding or disposal of this material should be done at a properly permitted facility in accordance with the regulations of 40 CRR 262, 263, 264, and 268. Additionally, the discarding or disposal of this material may be further regulated by state, regional, or local regulations.

Section 14: TRANSPORT INFORMATION

DOT shipping name: Disinfectant, Liquid, Corrosive NOS (Quaternary Ammonium Compound), 8, UN1903, PG II.
DOT hazard class: Corrosive 8
UN number: UN1903
ERG guide: ERG 153

Section 15: REGULATORY INFORMATION

WHMIS Classification: B3, D1B, E
CPR Compliance: This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.
TSCA: This product is considered a pesticide, and therefore excluded from the United States TSCA regulations.
California Prop. 65 This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

BACSTOP™ XL

SAFETY DATA SHEET

Emergency Phone #: 1-800-424-9300
Non-Emergency Phone #: 1-800-401-4780

Last revision date: 4/1/2020
Print date: 9/25/2020

Section 16: OTHER INFORMATION

MSDS PREPARATION

Prepared by: T.C.

Orig. Prep. Date: 4/1/2020
