

# SAFETY DATA SHEET

Issue Date 01-Feb-2021 Revision Date 01-Feb-2021 Version 1

# 1. Identification

Product identifier LAUNDRY GUARD

Recommended use Disinfectant, Fungicide, Fabric Sanitizer

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

**Manufacturer Address** 

Anderson Chemical Company, 325 South Davis Avenue, Litchfield, MN 55355 (320-693-2477)

**Emergency telephone number** 

Chemtrec 1-800-424-9300

# 2. Hazard identification

Physical hazardsFlammable liquidsCategory 3Health hazardsAcute toxicity, oralCategory 4Acute toxicity, dermalCategory 3Skin corrosion/irritationCategory 1BSerious eye damage/eye irritationCategory 1

Environmental hazards Not classified.

WHMIS 2015 defined hazards Not classified

Label elements

Not classified



Signal word Danger

**Hazard statement** Flammable liquid and vapor. Harmful if swallowed. Toxic in contact with skin. Causes severe skin

burns and eye damage.

**Precautionary statement** 

**Prevention** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Do not breathe mist or vapor. Wear protective gloves, protective clothing and eye protection. Wash thoroughly after handling. Do not eat, drink or smoke when

using this product.

**Response** In case of fire: Use appropriate media to extinguish. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before

reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor. Specific treatment (see information on this label).

**Storage** Store in a well-ventilated place. Keep cool. Store locked up.

**Disposal** Dispose of container in accordance with local, regional, national and international regulations.

WHMIS 2015: Health Hazard(s) not otherwise classified

(HHNOC)

None known

#32892 Page: 1 of 9 Issue date 01-February-2021

WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)

Hazard(s) not otherwise classified (HNOC)

**Supplemental information** 

None known

None known.

Exempt - Registered product - (EPA 7048-15). Refer to product label for further information.

# 3. Composition/Information on ingredients

Mixture			
Chemical name	Common name and synonyms	CAS number	%
Octyl decyl dimethyl ammonium chloride		32426-11-2	25
Didecyl dimethyl ammonium chloride		7173-51-5	15
Dioctyl dimethyl ammonium chloride		5538-94-3	10
Ethanol		64-17-5	10

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### 4. First-aid measures

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then Inhalation give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or

doctor for further treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of Skin contact

water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove Eye contact

contact lenses if present, after the first 5 minutes, then, continue rinsing eye. Call a poison control

center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have Ingestion person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by a

poison control center or doctor. Do not give anything by mouth to an unconscious person.

Most important Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

symptoms/effects, acute and delayed

Indication of immediate medical attention and special

treatment needed

**General information** 

blindness could result. Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against

circulatory shock, respiratory depression and convulsion may be needed.

Take off immediately all contaminated clothing. If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse. Avoid contact with eyes and skin. Keep out of reach of

children.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire-fighting equipment/instructions

Specific methods General fire hazards

**Hazardous combustion** products

Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide.

Do not use water jet as an extinguisher, as this will spread the fire.

Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

Flammable liquid and vapor. Does not sustain combustion.

May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Hydrogen chloride.

### 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

# Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. This product is miscible in water. Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

# **Environmental precautions**

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.

# 7. Handling and storage

### Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use good industrial hygiene practices in handling this material. When using do not eat or drink.

# Conditions for safe storage. including any incompatibilities

Store locked up. Do not contaminate water, food or feed by storage and disposal. Keep from freezing. Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children. PESTICIDE STORAGE: Open dumping is prohibited. Store only in original container. Do not reuse empty container. If a leaky container must be contained within another, mark the outer container to identify the contents. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

# 8. Exposure controls/Personal protection

### Occupational exposure limits

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Туре	Value
Ethanol (CAS 64-17-5)	TWA	1880 mg/m3
		1000 ppm

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	туре	value
Ethanol (CAS 64-17-5)	STEL	1000 ppm

# Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Type	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm

# Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Туре	Type Value		
Ethanol (CAS 64-17-5)	STEL	1000 ppm		

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)			
Components	Туре	Value	
Ethanol (CAS 64-17-5)	TWA	1880 mg/m3	
		1000 ppm	

#32892 Page: 3 of 9 Issue date 01-February-2021 Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)

Components	Туре	Value	
Ethanol (CAS 64-17-5)	15 minute	1250 ppm	
	8 hour	1000 ppm	
US. OSHA Table Z-1 Limits for A	air Contaminants (29 CFR 1910.10	000)	
Components	Туре	Value	
Ethanol (CAS 64-17-5)	PEL	1900 mg/m3	
		1000 ppm	
US. ACGIH Threshold Limit Valu	ies		
Components	Туре	Value	
Ethanol (CAS 64-17-5)	STEL	1000 ppm	
US. NIOSH: Pocket Guide to Ch	emical Hazards		

**Biological limit values** 

Ethanol (CAS 64-17-5)

Components

No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Value

1900 mg/m3 1000 ppm

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles) and a face shield. Eye/face protection

Type

**TWA** 

Skin protection

Hand protection Impervious gloves. Confirm with reputable supplier first.

Other As required by employer code. Wear appropriate chemical resistant clothing. Use of an impervious

apron is recommended.

Respiratory protection Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Wear a MSHA/NIOSH-approved dust/mist filtering respirator number TC-21C or a NIOSH

approved respirator with any N, R, P, or HE filter.

Thermal hazards Not applicable.

General hygiene considerations

When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. When using do not eat or drink.

# 9. Physical and chemical properties

Clear **Appearance Physical state** Liquid. **Form** Liquid.

Colorless to Light straw colour Color

Odor Ethanol Odor threshold Not available. 7 - 9 (10% Solution) pН Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Pour point Not available. Specific gravity Not available. Partition coefficient Not available.

(n-octanol/water)

109.0 °F (42.8 °C) Closed Cup (Does not sustain combustion) Flash point

Not available. **Evaporation rate** Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

Explosive limit - lower (%)

Not available. Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure Vapor density

Heavier than air

Relative density Solubility(ies)

0.931

Soluble

**Auto-ignition temperature Decomposition temperature** 

Not available. Not available.

**Viscosity** 

Not available.

Other information

Density **Explosive properties** Oxidizing properties

7.73 lbs/gal Not explosive. Not oxidizing.

Percent volatile

1.5 %

# 10. Stability and reactivity

Reactivity

This product may react with strong oxidizing agents.

Possibility of hazardous

No dangerous reaction known under conditions of normal use.

reactions

Material is stable under normal conditions.

Chemical stability Conditions to avoid

DO NOT USE IN THE PRESENCE OF, OR MIX WITH OTHER CHEMICALS!

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

Avoid temperatures exceeding the flash point.

Incompatible materials

Hazardous decomposition

products

**Product** 

Strong oxidizing agents. May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Hydrogen chloride.

# 11. Toxicological information

Eye, Skin contact, Inhalation, Ingestion. Routes of exposure

Information on likely routes of exposure

Causes digestive tract burns. Harmful if swallowed. May cause stomach distress, nausea or Ingestion

May cause irritation to the respiratory system. Prolonged inhalation may be harmful. Inhalation

Skin contact Toxic in contact with skin. Causes severe skin burns.

Eye contact Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

**Test Results** 

blindness could result.

Information on toxicological effects

Toxic in contact with skin. Harmful if swallowed. Acute toxicity **Species** 

BacStop™ XL (CAS Mixture) Acute Dermal Rabbit LD50 880 mg/kg, Tested, GLP Oral LD50 Rat 455 mg/kg, Tested. GLP Components **Species Test Results** 

Didecyl dimethyl ammonium chloride (CAS 7173-51-5)

Acute Dermal

LD50

Rabbit 2730 mg/kg

Inhalation

LC50 Not available

#32892 Page: 5 of 9 Issue date 01-February-2021 Components Species Test Results

Oral

LD50 Mouse 268 mg/kg

Dioctyl dimethyl ammonium chloride (CAS 5538-94-3)

Acute

Inhalation

LC50 Not available

Rat

Oral

LD50 Rat 360 mg/kg

Ethanol (CAS 64-17-5)

Acute

Dermal

LD50 Rabbit > 15800 mg/kg, SIDS initial assessment

report

84 mg/kg

Inhalation

LC50 Mouse > 60000 ppm, 60 Minutes, ECHA

31623 ppm, 4 Hours, HMIRA

Oral

LD50 Rat 12400 mg/kg, ECHA

10470 mg/kg, ECHA

Octyl decyl dimethyl ammonium chloride (CAS 32426-11-2)

Acute

Dermal

LD50 Not available

Inhalation

LC50 Not available

Oral

LD50 Not available

**Skin corrosion/irritation** Causes severe skin burns and eye damage.

Rat

Exposure minutesNot available.Erythema valueNot available.Oedema valueNot available.

Serious eye damage/eye

irritation

Causes serious eye damage.

Corneal opacity value Not available.

Iris lesion value Not available.

Conjunctival reddening Not available.

value

Conjunctival oedema value Not available.

Recover days Not available.

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

Mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity See below.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

**Reproductive toxicity** Non-hazardous by WHMIS/OSHA criteria.

Teratogenicity Not available.

Specific target organ toxicity - Not classified.

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

#32892 Page: 6 of 9 Issue date 01-February-2021

Aspiration hazard Chronic effects Not an aspiration hazard.

Prolonged inhalation may be harmful.

# 12. Ecological information

### **Ecotoxicity**

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l

Exposure time: 96 h Method: US-EPA

EC50 (Daphnia magna (Water flea)): < 1 mg/l

Exposure time: 48 h Test Type: Immobilization Method: EPA-FIFRA

GLP: yes

# **Ecotoxicological data**

Components Species Test Results

Didecyl dimethyl ammonium chloride (CAS 7173-51-5)

Aquatic

Fish LC50 White sturgeon (Acipenser 0.001 - 0.01 mg/L, 96 hours

transmontanus)

Ethanol (CAS 64-17-5)

Crustacea EC50 Daphnia 11744.5 mg/L, 48 Hours

Aquatic

Crustacea EC50 Water flea (Daphnia magna) 7.7 - 11.2 mg/L, 48 hours
Fish LC50 Fathead minnow (Pimephales promelas) > 100 mg/L, 96 hours

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Mobility in soilNo data available.Mobility in generalNot available.

Other adverse effects

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

# 13. Disposal considerations

# **Disposal instructions**

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL: Non-refillable container. Do not reuse this container to hold materials other than pesticides or diluted pesticides (rinsate). Offer for recycling if available or puncture and dispose in a sanitary landfill, or by other procedures approved by state and local authorities. If rinsate cannot be used, follow pesticide disposal instructions.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Hazardous waste code Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### 14. Transport information

**Transport of Dangerous Goods** (TDG) **Proof of Classification** 

Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

**General** Does not sustain combustion.

#32892 Page: 7 of 9 Issue date 01-February-2021

# **U.S. Department of Transportation (DOT)**

Basic shipping requirements:

UN number UN1903

Proper shipping name
Disinfectants, liquid, corrosive n.o.s.

Octyl decyl dimethyl ammonium chloride

Hazard class 8
Packing group II

**Transportation of Dangerous Goods (TDG - Canada)** 

Basic shipping requirements:

UN number UN1903

Proper shipping name DISINFECTANT, LIQUID, CORROSIVE, N.O.S.

Technical name Octyl decyl dimethyl ammonium chloride

Hazard class 8
Packing group II

DOT



#### **TDG**



# 15. Regulatory information

Canadian federal regulations Product Registration: Pending

Export Control List (CEPA 1999, Schedule 3)

Not listed.

**Greenhouse Gases** 

Not listed.

**Precursor Control Regulations** 

Not regulated.

WHMIS 2015 Exemptions Not applicable
US federal regulations EPA Reg. # 7048-15

EPA Est. # 15596-OH-01

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

KEEP OUT OF REACH OF CHILDREN.

Corrosive: Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses), protective clothing and protective gloves (rubber or chemical resistant). May be fatal if swallowed or inhaled. Do not breathe vapor. Wear a MSHA/NIOSH-approved dust/mist filtering respirator number TC-21C or a NIOSH approved respirator with any N, R, P, or HE filter. Harmful if absorbed through the skin. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

# SARA 304 Emergency release notification

Not regulated.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**SARA 302 Extremely** Nο

hazardous substance

Classified hazard Flammable (gases, aerosols, liquids, or solids)

Acute toxicity (any route of exposure) categories

Skin corrosion or irritation

Serious eye damage or eye irritation

# SARA 313 (TRI reporting)

Not regulated.

### Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**US state regulations** See below

### US - Texas Effects Screening Levels: Listed substance

Didecyl dimethyl ammonium chloride (CAS Listed.

7173-51-5)

Dioctyl dimethyl ammonium chloride (CAS

Listed.

5538-94-3)

Octyl decyl dimethyl ammonium chloride (CAS

Listed.

32426-11-2)

### **US. California Proposition 65**

This product is not subject to warning labeling under the California Proposition 65 regulation.


### Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

# 16. Other information







### Disclaimer

(www.delltech.com) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date 01-February-2021

Version # 01

**Effective date** 01-February-2021

Dell Tech Laboratories Ltd. Phone: (519) 858-5021 Prepared by

**Further information** Not available.

Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.