

1. Identification

Product identifier	GERON IV
Other means of identification	
Product Code	122
Product registration number	10324-117-150
Recommended use	FIFRA Regulated End Use Product (EUP)
Recommended restrictions	For Reference Only This product is intended to be diluted prior to use. For further information refer to the EPA Registered product label. Uses other than those identified are not recommended.

Manufacturer/Importer/Supplier/Distributor information**Manufacturer****Manufacturer Address**

AndersonChemicalCompany,325SouthDavisAvenue,Litchfield,MN55355(320-693-2477)

Emergency telephone number

Chemtrec1-800-424-9300

2. Hazard(s) identification**Physical hazards****Health hazards**

Acute toxicity (dermal)	Category 4
Acute toxicity, oral	Category 4
Skin corrosion/irritation	Category 1B
Serious eye damage/eye irritation	Category 1

OSHA defined hazards**Label elements**

Signal word	Danger
Hazard statement	Harmful if swallowed. Causes severe skin burns and eye damage. Harmful in contact with skin.
Precautionary statement	
Prevention	Wash affected areas thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dusts or mists.
Response	Immediately call a POISON CENTER or doctor/physician. Specific treatment (see section 4 on SDS). IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
1-decanaminium, n,n-dimethyl-n-octyl-, Chloride		32426-11-2	3 - < 5
Quaternary Ammonium Compounds, Benzyl-C12-C16-alkyldimethyl, Chlorides		68424-85-1	3 - < 5
1-octanaminium, N,n-dimethyl-n-octyl-, Chloride		5538-94-3	1 - < 3
Didecyldimethylammonium Chloride		7173-51-5	1 - < 3
Ethanol		64-17-5	1 - < 3
Other components below reportable levels			80 - < 90

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
----------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Methods and materials for containment and cleaning up

This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage**Precautions for safe handling**

Do not breathe mist/vapors. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection**Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Ethanol (CAS 64-17-5)	PEL	1900 mg/m ³
		1000 ppm

US. ACGIH Threshold Limit Values

Components	Type	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Ethanol (CAS 64-17-5)	TWA	1900 mg/m ³
		1000 ppm

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection**Hand protection**

Wear appropriate chemical resistant gloves.

Other

Wear appropriate chemical resistant clothing.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties**Appearance**

Physical state	Liquid.
Form	Liquid.
Color	Clear
Odor	Characteristic.
Odor threshold	Not available.
pH	5 - 7 (1% soln.)
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 208.4 °F (> 98 °C)
Flash point	None to boil.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Miscible
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	< 20 cSt @25°C
Other information	
Density	8.19 - 8.36 lb/gal
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Specific gravity	0.9817 - 1.0017

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid temperatures exceeding the decomposition temperature. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
Skin contact	Causes severe skin burns.
Eye contact	Causes serious eye damage.
Ingestion	Causes digestive tract burns. Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Information on toxicological effects

Acute toxicity Harmful if swallowed.

Product	Species	Test Results
MAQUAT® 710-M		
Acute		
Dermal		
<i>Liquid</i>		
LD50	Rabbit	> 2 g/kg, 14 days
Oral		
<i>Liquid</i>		
LD50	Rat	1.85 g/kg, 14 days
Components		
Species		
Test Results		
1-decanaminium, n,n-dimethyl-n-octyl-, Chloride (CAS 32426-11-2)		
Acute		
Dermal		
<i>Liquid</i>		
LD50	Rabbit	2930 mg/kg
LD50	Rat	3342 mg/kg
Oral		
<i>Liquid</i>		
LD50	Rat	262 mg/kg 238 mg/kg
1-octanaminium, N,n-dimethyl-n-octyl-, Chloride (CAS 5538-94-3)		
Acute		
Dermal		
LD50	Rabbit	2930 mg/kg
Inhalation		
<i>Mist</i>		
LC50	Rat	> 10 mg/l, 1 h
Oral		
<i>Liquid</i>		
LD50	Rat	262 mg/kg 238 mg/kg
Didecyldimethylammonium Chloride (CAS 7173-51-5)		
Acute		
Dermal		
<i>Liquid</i>		
LD50	Rabbit	2930 mg/kg
LD50	Rat	3342 mg/kg
Oral		
<i>Liquid</i>		
LD50	Rat	262 mg/kg 238 mg/kg
Ethanol (CAS 64-17-5)		
Acute		
Dermal		
<i>Liquid</i>		
LD50	Rabbit	> 15800 mg/kg

Components	Species	Test Results
Inhalation		
<i>Vapor</i>		
LC50	Rat	51.3 mg/l, 6 Hours
Oral		
LD50	Rat	6.2 g/kg
Quaternary Ammonium Compounds, Benzyl-C12-C16-alkyldimethyl, Chlorides (CAS 68424-85-1)		
Acute		
Dermal		
<i>Liquid</i>		
LD50	Rabbit	3413 mg/kg
LD50	Rat	930 mg/kg
Oral		
<i>Liquid</i>		
LD50	Rat	795 mg/kg
LD50	Rat	304.5 mg/kg
Skin corrosion/irritation	Causes severe skin burns and eye damage.	
Serious eye damage/eye irritation	Causes serious eye damage.	
Respiratory or skin sensitization		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	Not classifiable as to carcinogenicity to humans.	
IARC Monographs. Overall Evaluation of Carcinogenicity		
Not listed.		
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)		
Not listed.		
US. National Toxicology Program (NTP) Report on Carcinogens		
Not listed.		
Reproductive toxicity	Possible reproductive hazard.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be harmful.	

12. Ecological information

Components	Species	Test Results
Ecotoxicity		
Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.		
1-decanaminium, n,n-dimethyl-n-octyl-, Chloride (CAS 32426-11-2)		
Aquatic		
<i>Acute</i>		
Fish	LC50	Bluegill (<i>Lepomis macrochirus</i>)
		0.032 mg/l, 96 h
<i>Chronic</i>		
Crustacea	NOEC	Daphnia
		0.01 mg/l
1-octanaminium, N,n-dimethyl-n-octyl-, Chloride (CAS 5538-94-3)		
Aquatic		
<i>Acute</i>		
Crustacea	LC50	Daphnia magna
		0.1 mg/l, 48 h

Components	Species	Test Results
Fish	LC50	Bluegill (<i>Lepomis macrochirus</i>) 0.032 mg/l, 96 h
		Oncorhynchus mykiss 0.35 mg/l, 96 h
<i>Chronic</i>		
Crustacea	NOEC	Daphnia 0.01 mg/l
Didecyldimethylammonium Chloride (CAS 7173-51-5)		
Aquatic		
<i>Acute</i>		
Algae	EC50	Algae 0.062 mg/l, 72 h
Crustacea	LC50	Daphnia 0.057 mg/l, 48 h
Fish	LC50	Bluegill (<i>Lepomis macrochirus</i>) 0.032 mg/l, 96 h
		Danio rerio 0.97 mg/l, 96 h
<i>Chronic</i>		
Crustacea	NOEC	Daphnia 0.021 mg/l, 21 d 0.01 mg/l, 21 d

Ethanol (CAS 64-17-5)

Aquatic*Acute*

Crustacea	EC50	Water flea (<i>Daphnia magna</i>)	> 10000 mg/l, 48 hours
Fish	LC50	Fathead minnow (<i>Pimephales promelas</i>)	> 100 mg/l, 96 hours

Quaternary Ammonium Compounds, Benzyl-C12-C16-alkyldimethyl, Chlorides (CAS 68424-85-1)

Aquatic*Acute*

Fish	LC50	Bluegill (<i>Lepomis macrochirus</i>)	0.515 mg/l
------	------	-----------------------------------------	------------

Chronic

Crustacea	NOEL	Daphnia	0.0042 mg/l
-----------	------	---------	-------------

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.**Bioaccumulative potential****Partition coefficient n-octanol / water (log Kow)**

Ethanol	-0.31
---------	-------

Mobility in soil No data available.**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.**13. Disposal considerations**

Disposal instructions Dispose of this material and its container to hazardous or special waste collection point. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel]
The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information**DOT**

UN number	UN1903
UN proper shipping name	Disinfectants, liquid, corrosive n.o.s. (Quaternary Ammonium Compounds), MARINE POLLUTANT

Transport hazard class(es)

Class	8
Subsidiary risk	-
Label(s)	8
Packing group	II

Environmental hazards

Marine pollutant Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions B2, IB2, T7, TP2

Packaging exceptions 154

Packaging non bulk 202

Packaging bulk 242

Note: Except when all or part of the transportation is by vessel, the requirements specific to marine pollutants do not apply to non-bulk packagings transported by motor vehicle, rail car or aircraft according to 49 CFR 171.4(c). A MARINE POLLUTANT mark is not required on a bulk packaging, freight container or transport vehicle that bears a label or placard specified in subparts E or F, except for transportation by vessel, according to 49 CFR 172.322(d).

IATA

UN number UN1903

UN proper shipping name Disinfectant, liquid, corrosive, n.o.s. (Quaternary Ammonium Compounds)

Transport hazard class(es)

Class	8
Subsidiary risk	-
Packing group	II
Environmental hazards	Yes
ERG Code	8L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo aircraft Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

IMDG

UN number UN1903

UN proper shipping name DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (Quaternary Ammonium Compounds), MARINE POLLUTANT

Transport hazard class(es)

Class	8
Subsidiary risk	-
Packing group	II

Environmental hazards

Marine pollutant Yes

EmS F-A, S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.


Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

DOT

IATA; IMDG



Marine pollutant



General information IMDG Regulated Marine Pollutant. DOT Regulated Marine Pollutant.

15. Regulatory information

CERCLA (Superfund) reportable quantity, lbs

Ethanol: 100

California Proposition 65 This product does not contain any Proposition 65 chemicals

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Classified hazard categories Acute toxicity (any route of exposure)
Skin corrosion or irritation
Serious eye damage or eye irritation

Hazard categories Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

Section 302 extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting)
Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Contains component(s) regulated under the Safe Drinking Water Act.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Ethanol (CAS 64-17-5)

Low priority

FIFRA Information This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Listed below is the hazard information as required on the pesticide label.

Signal word DANGER
KEEP OUT OF REACH OF CHILDREN

Hazard statement Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed or absorbed through the skin. Do not breathe spray mist. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and chemical resistant gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

This product is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Revision date	06-27-2022
Version #	06
HMIS® ratings	Health: 3 Flammability: 0 Physical hazard: 0
NFPA ratings	Health: 3 Flammability: 0 Instability: 0

Disclaimer The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.