

62% Alcohol Foam Hand Sanitizer

Section 1

Product Description

Product Name:
Recommended Uses:
Synonyms:
Distributor:

SmartSan Hand Sanitizer Foam or ALPET E3 Hand Sanitizer Foam Hand Sanitizer Foaming Hand Sanitizer Best Sanitizers, Inc. PO Box 1360 Penn Valley, CA 95946

Chemical Information Emergency: Chemtrec

Section 2

Hazard Indentification

OSHA Regulatory Status--This chemical is considered hazardous by the 2012 OSHA Hazard Communication, 29 CFR §1910.1200. This material is an Over-The-Counter consumer product that is safe for consumers/workplaces with intended and reasonable foreseeable use. Please follow label instructions. NOTE: Warnings below are for exposure to large quantities of the product. Normal usage should not create a hazardous condition.

1.800.424.9300

Flammable liquids

Warning



Category 3

Hazard Statements

Flammable liquid and vapor

Appearance—Aqueous solution Physical state—Liquid Odor— Alcohol Odor

Precautionary Statements-Prevention

Keep away from heat/sparks/open flames/hot surfaces-----No Smoking. Do not use in eyes. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements-Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin (hair) with water/shower.

In case of fire: Use CO₂, dry chemical, or foam for extinction.

Precautionary Statements-Storage

Stored in a well-ventilated place. Keep Cool.

Precautionary Statements-Disposal

Dispose of contents/container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC)

Not Applicable.

Other Information

Unknown Acute Toxicity.

Section 3

Composition/Information on Ingredients

Ingredients considered hazardous as defined by OSHA, 29 CFR 1910.1200, WHMIS under the HPA (Canada).

Chemical Name	CAS No.	Weight-%
Ethyl Alcohol	64-17-5	66-76
Tertiary Butyl Alcohol	75-65-0	< 0.1

Remaining ingredients are non-hazardous and/or present at amounts below reportable limits and considered confidential.

Section 4

First Aid Measures

First Aid Measures

Eye Contact	Hold eye(s) open and rinse slowly and gently with water for 15·20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye(s). If eye irritation persists: Get medical advice/attention.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing and shoes before reuse. Get medical attention if irritation develops and persists.
Inhalation	Remove to fresh air. Immediate medical attention is not required.
Ingestion	Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician immediately.
Most important symptoms and effects, bot	
Symptoms	See Section 11 for symptom information.
Indication of any immediate medical attent	ion and special treatment needed

Note to physicians Treat symptomatically.

Section 5

Fire-Fighting Measures

Suitable Extinguishing Media

Dry Chemical, Water spray (fog), Carbon dioxide (CO₂), Foam.

Unsuitable Extinguishing Media	
No Information available.	
Specific hazards arising from the chemica	I
Flammable. Vapors may travel to source of igr	nition and flash back.
Hazardous combustion products	Carbon Monoxide. Carbon Dioxide (CO2).
Explosion Data	
Sensitivity to Mechanical Impact	None
Sensitivity to Static Discharge	May be ignited by friction, heat, sparks or flames.
Protective Equipment and Precautions for	Firefighters
As in any fire, wear calf contained breathing a	projective projective demond MSHA/NIOSH (opproved or equivalent) and full

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective

gear. Cool containers with flooding quantities of water until well after fire is out.

Section 6

Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions	Use personal protection recommended in Section 8. Ensure adequate ventilation, especially in confined
	areas.
For emergency responders	Isolate area. Keep unnecessary personnel away.
Environment Precautions	
Environmental Precautions	Prevent entry into waterways, sewers, basements or confined areas. See Secion 12 for additional ecological information.
Methods and material for conta	
Methods for containment	Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible
	absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container
	for disposal according to local/national regulations (See Section 13).
Methods for cleaning up	Use clean non-sparking tools to collect absorbed material. May be ignited by friction, heat, sparks or
	flames. Collect spillage. Soak up with inert absorbent material. Sweep up and shovel into suitable
	containers for disposal. Following product recovery, flush area with water.

Section 7

Handling and Storage

Precautions for Safe Handling

Advice on Safe Handling

Keep away from heat sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Use only in well-ventilated areas. Avoid breathing vapors or mists. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep Containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing. Keep away
	from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static
	electricity). Store between 40 to 100 \degree F .
Incompatible materials	Heat, sparks, open flame, other ignition sources. Reacts violently with strong oxidants such as nitric
	acid and silver nitrate causing fire and explosion hazard. Reacts slowly with calcium hypochlorite and
	ammonia causing fire and explosion hazard.

Protection Information

Section 8

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl Alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 980 mg/m ³ vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³

Appropriate Engineering Controls

Engineering Controls	Showers, eyewash stations, ventilation system.	
Individual Protection Measures, such as personal protective equipment		
Eye/Face protection	Wear safety glasses with side shields (or goggles).	
Skin and body protection	Wear protective Neoprene [™] gloves. Rubber gloves. Normal work clothing (long sleeved shirt and long pants) is recommended. Apron is recommended.	
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.	
General Hygiene Considerations	Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated clothing and shoes before reuse. Do not Eat, Drink or Smoke when using this product.	

Section 9

Physical and Chemical Properties

Physical State:

Appearance:

Information on basic physical and chemical properties

Formula:	See Section 3
Odor:	Alcohol Odor
Odor Threshold:	No Information Available
<u>Property</u>	<u>Va</u>
рН	No
Melting Point/Freezing Point	No
Boiling Point/ Boiling Range	No
Flash Point	25
Evaporation rate	No
Flammability (solid, gas)	No

e Color: (alues) lo information available lo Information available lo information available 5 °C / 77°F lo information available lo information available Liquid Aqueous solution Clear <u>Remarks—Method</u> ±1 @ 21°C

Upper flammability limit:19.0%Lower flammability limit:3.3%Vapor pressure:No information availableVapor density:No information available
Vapor pressure: No information available
Vapor density: No information available
Specific Gravity 0.91
Water solubility Soluble in water
Partition coefficient No information available
Autoignition temperature No information available
Decomposition temperature No information available
Kinematic viscosity No information available
Dynamic viscosity No information available
Explosive properties No information available
Oxidizing properties No information available

Section 10

Stability and Reactivity Data

Reactivity	No data available.
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	None under normal processing.
Conditions to avoid	Heat, flames and sparks, extreme temperature conditions.
Incompatible materials	Heat, sparks, open flame, other ignition sources. Reacts violently with strong oxidants
	such as nitric acid and silver nitrate causing fire and explosion hazard. Reacts slowly with calcium, hypochlorite and ammonia causing fire and explosion hazard.
Hazardous Decomposition Products	Carbon monoxide. Carbon dioxide (CO2). Nitrogen.

Section 11

.

Toxicity Data

Information on likely routes of exposure

Product Information	
Inhalation	Inhalation of vapors in high concentration may cause irritation of respiratory system.
Eye Contact	Irritating to eyes.
Skin Contact	Prolonged contact may cause irritation.
Ingestion	May be harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water, 7732-18-5	> 90 mL/kg (Rat)	-	
Ethyl alcohol 64-17-5	= 7060 mg/kg (Rat)	> 20000 mg/kg (Rabbit)	= 31623 ppm (Rat) 4 h

.

Information on toxicological effects

Symptoms	No Information Available		
Delayed and immediate effects as well as chronic effects from short and long-term exposure			
Sensitization	No Information Available		
Germ cell mutagenicity	No Information Available		
Carcinogenicity	IARC: Group 3 (Not classifiable as to its carcinogenicity to humans).		
Reproductive toxicity	No Information Available		
STOT single exposure	No Information Available		
STOT repeated exposure	No Information Available		
Aspiration hazard	No Information Available		
Numerical measures of toxicity – Product Information			
Unknown Acute Toxicity	No Information Available		

Section 12

Ecological Data

<u>Ecotoxicity</u>

Chemical Name	Algae/Aquatic Plants	Fish	Crustacea
Ethyl alcohol 64-17-5	12900: 96 h Oncorhynchus mykiss mL/L LC50	12-16.0: 96 h Oncorhynchus mykiss ms/L LC50 Static 100: 96 h Pimephales promelas ms/L LC50 static 13400-15100: 96 h Pimephales promelas ms/L LC50 flow-through	9268-14221: 48 h Daphnia magna mg/L LC50 24 h Daphnia magna mg/L EC50 48 h Daphnia magna mg/L EC50 Static

.

Persistence and degradability

No Information Available.

Bioaccumulation

Chemical Name	Partition Coefficient
Ethyl alcohol	-0.32

Mobility

No information available.

Other adverse effects

No information available.

Section 13

Disposal Information

Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and **Disposal of wastes** regulations. **Contaminated packaging** Dispose of in accordance with federal, state and local regulations.

Chemical Name	California Hazardous Waste Status
Ethyl alcohol	Toxic
64-17-5	Ignitable

Section 14

Transport Information

DOT

UN/ID No.	1170
Proper shipping name	Ethanol Flammable liquids
Hazard Class	3
Packing Group	III

Limited Quantities for packages under 1 Liter Exempt DOT SP 9275 for packages under 1 gallon

Regulatory Information

Section 15

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
Legend:	

TSCA-United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL- Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS-European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372. Note: Isopropyl alcohol only needs to be reported if it is being manufactured by the strong acid process. Facilities that process or otherwise use isopropyl alcohol are NOT covered and should NOT file a report.

SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden Release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substance regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42). **CERCLA**

This material, as supplied, does not contain any substance regulated as a hazardous substance under the Comprehensive Environment Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local regional or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethyl alcohol 64-17-5	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number

Not Applicable

Section 16	Additional Information			n
<u>NFPA</u>	Health Hazards	Flammability	Instability	Physical and Chemical Properties
	1	3	O	None
<u>HMIS</u>	Health Hazards	Flammability	Physical Hazards	Personal protection
	2	3	O	B (safety glasses, gloves)
Prepared by: Revision Date Version Revision Note	Technical Department May 15, 2015 O No information available			

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

LS 104-215-00.006