according to 29CFR1910/1200 and GHS Rev. 3

**Effective date** : 12.05.2014

Page 1 of 8

#### Sulfuric Acid, 50% v/v (1:1)

| SECTION 1 : Identification of the substance/                                                | ••                           |
|---------------------------------------------------------------------------------------------|------------------------------|
| Product name :                                                                              | Sulfuric Acid, 50% v/v (1:1) |
| Manufacturer/Supplier Trade name:                                                           |                              |
| Manufacturer/Supplier Article number:                                                       | ANDSA1940-A                  |
| Recommended uses of the product and restr                                                   | rictions on use:             |
| Manufacturer Details:                                                                       |                              |
| AquaPhoenix Scientific, Inc<br>9 Barnhart Drive, Hanover, PA 17331<br>(717) 632-1291        |                              |
| Supplier Details:                                                                           |                              |
| Anderson Chemical Company<br>325 South David Avenue, Litchfield, MN 55355<br>(320) 693-2477 |                              |
| Emergency telephone number:                                                                 |                              |
| Anderson Chemical Company Emergency Tele                                                    | ephone No.: (800) 255-3924   |

# Classification of the substance or mixture:

**SECTION 2 : Hazards identification** 



Health hazard Carcinogenicity, category 1A

**Corrosive** Skin corrosion, category 1A Serious eye damage, category 1 Corrosive to metals, category 1

Acute hazards to the aquatic environment, category 3 Skin Corrosion 1A Carcinogenic 1 (Strong inorganic acid mists/aerosols containing sulfuric acid) Corrosive to metals. 1 Eye corrosion 1 Acute aquatic toxicity 3

#### Signal word : Danger

## Hazard statements:

May be corrosive to metals May cause cancer Causes severe skin burns and eye damage Causes serious eye damage Harmful to aquatic life **Precautionary statements**: If medical advice is needed, have product container or label at hand Keep out of reach of children Read label before use Obtain special instructions before use Do not handle until all safety precautions have been read and understood

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.05.2014

Page 2 of 8


### Sulfuric Acid, 50% v/v (1:1)

Use personal protective equipment as required Wear protective gloves/protective clothing/eye protection/face protection Wash ... thoroughly after handling Do not breathe dust/fume/gas/mist/vapours/spray Keep only in original container Avoid release to the environment IF SWALLOWED: Rinse mouth. Do NOT induce vomiting IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician Specific treatment (see supplemental first aid instructions on this label) IF exposed or concerned: Get medical advice/attention Absorb spillage to prevent material damage Store locked up Store in a corrosive resistant/... container with a resistant inner liner

Dispose of contents/container to ...

## **Other Non-GHS Classification**:

WHMIS



## SECTION 3 : Composition/information on ingredients

| Ingredients:              |                 |      |  |
|---------------------------|-----------------|------|--|
| CAS 7664-93-9             | Sulfuric Acid   | 92 % |  |
| CAS 7732-18-5             | water, Purified | 8 %  |  |
| Percentages are by weight |                 |      |  |

#### SECTION 4 : First aid measures

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.05.2014

### Description of first aid measures

**After inhalation:** Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position.Provide oxygen if breathing is difficult. Seek immediate medical advice.

**After skin contact:** Rinse thoroughly. Rinse/flush exposed area gently using water for at least 30 minutes. Seek immediate medical attention.Remove contaminated clothing and discard. Neutralize the soaking solution with sodium hydroxide solution.

**After eye contact:** Protect unexposed eye. Remove contact lens(es) if able to do so during rinsing. Rinse/flush exposed eye(s) gently using water for at least 30 minutes. Seek immediate medical attention. Rinse under the eyelids during flushing.

**After swallowing:** Rinse mouth thoroughly. Do not induce vomiting. Have exposed individual drink sips of water. Do not induce vomiting. Seek immediate medical attention.

#### Most important symptoms and effects, both acute and delayed:

Irritation, Nausea, Headache, Shortness of breath. Burning of eyes or skin. Coughing; Strong inorganic acid mists containing sulfuric acid can cause cancer. Lung damage, chronic bronchitis. Damage to teeth and stomach

#### Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician. Use of soap may assist with neutralization on exposed skin in conjunction with flushing

#### SECTION 5 : Firefighting measures

#### Extinguishing media

**Suitable extinguishing agents:** If in laboratory setting, follow laboratory fire suppression procedures. Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition. Use dry Chemical, foam, or carbon dioxide to extinguish fire.

For safety reasons unsuitable extinguishing agents: Do not use water directly on sulfuric acid

#### Special hazards arising from the substance or mixture:

Combustion products may include carbon oxides or other toxic vapors.Poisonous sulfur oxides are combustion products. Aerosols or mist may be produced in a fire. Sulfuric acid may ignite combustibles

#### Advice for firefighters:

**Protective equipment:** Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment for fire and chemical resistance

Additional information (precautions): Containers may explode

#### **SECTION 6 : Accidental release measures**

### Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Neutralize with lime or soda ash. Use respiratory protective device against the effects of fumes/dust/aerosol. Keep unprotected persons away. Ensure adequate ventilation.Keep away from ignition sources. Protect from heat.Stop the spill, if possible. Contain spilled material by diking or using inert absorbent. Transfer to a disposal or recovery container.

#### **Environmental precautions:**

Prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13

#### Methods and material for containment and cleaning up:

If in a laboratory setting, follow Chemical Hygiene Plan procedures.Always obey local regulations. Place into properly labeled containers for recovery or disposal. If necessary, use trained response staff/contractor.Do not use water.Neutralize with lime or soda ash. Add water to slurry.Decant water to drain with excess water.Dispose of remaining solid as normal refuse.

#### **Reference to other sections:**

Effective date : 12.05.2014

Sulfuric Acid, 50% v/v (1:1)

## **SECTION 7 : Handling and storage**


#### Precautions for safe handling:

Prevent formation of aerosols. Do not mix with bases.Wash hands after handling.Avoid contact with skin and eyes. Follow good hygiene procedures when handling chemical materials. Do not eat, drink, smoke, or use personal products when handling chemical substances. Wear protective clothing and equipment. Do not handle with incompatibles (see Section 10). Avoid inhalation of vapour or mist.

## Conditions for safe storage, including any incompatibilities:

Protect from freezing.Keep container tightly closed.Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Store away from foodstuffs. Store away from oxidizing agents.Store in cool, dry conditions in well sealed containers. Do not store near incompatible materials (see Section 10). Store away from reducing agents.

## **SECTION 8 : Exposure controls/personal protection**



#### **SECTION 9 : Physical and chemical properties**

| Appearance (physical state,color): | Clear, colorless liquid | Explosion limit lower:<br>Explosion limit upper: | Not determined<br>Not determined |
|------------------------------------|-------------------------|--------------------------------------------------|----------------------------------|
| Odor:                              | Odorless                | Vapor pressure:                                  | Not determined                   |
| Odor threshold:                    | Not determined          | Vapor density:                                   | Not determined                   |
| pH-value:                          | <3                      | Relative density:                                | 1.04-1.06                        |
| Melting/Freezing point:            | Below 0                 | Solubilities:                                    | Soluble in water                 |

according to 29CFR1910/1200 and GHS Rev. 3

**Effective date** : 12.05.2014

## Sulfuric Acid, 50% v/v (1:1)

| Boiling point/Boiling<br>range:  | Approx 100C    | Partition coefficient (n-<br>octanol/water): | Not determined                                            |
|----------------------------------|----------------|----------------------------------------------|-----------------------------------------------------------|
| Flash point (closed<br>cup):     | Not determined | Auto/Self-ignition<br>temperature:           | Not determined                                            |
| Evaporation rate:                | Not determined | Decomposition<br>temperature:                | Not determined                                            |
| Flammability<br>(solid,gaseous): | Not determined | Viscosity:                                   | a. Kinematic:Not determined<br>b. Dynamic: Not determined |
| Density: Not Determined          | -              | •                                            |                                                           |

## SECTION 10 : Stability and reactivity

**Reactivity:**Reacts violently with water with evolution of heat. Corrosive to metals.

**Chemical stability:**No decomposition if used and stored according to specifications.

**Possible hazardous reactions:**Reacts violently or explosively with incompatibles. Reacts with most metals to produce hydrogen gas, which may form explosive mixtures with air

Conditions to avoid: Store away from incompatible substances. excess heat.

**Incompatible materials:**Organics. Metals. Strong acids.Strong bases.Alcohols. Chlorine. halogenated compounds . Combustible materials. Chlorates. Alkalines. Carbides. Fulminates. Reducing agents. Nitrates. Acetic acid. Oxidizing agents

Hazardous decomposition products: Oxides of sulfur. Carcinogenic mists/aerosols. Oxygen

#### **SECTION 11 : Toxicological information** Acute Toxicity: Oral: 7664-93-9 LD50 Rat: 2140 mg/kg Inhalation: 7664-93-9 LD50 Rat: 510 mg/m3 - 2h Chronic Toxicity: Repeated exposure may cause bronchitis to Inhalation: develop with coughing, phlegm, and/or shortness of breath Repeated exposure can cause damage to Oral: teeth and upset stomach Corrosion Irritation: Rabbit - Extremely corrosive and Dermal: 7664-93-9 destructive to tissue. Ocular: 7664-93-9 Rabbit - Corrosive to eyes. Sensitization: No additional information. Single Target Organ (STOT): No additional information. Numerical Measures: No additional information.

**Carcinogenicity**:

## Page 5 of 8

Strong inorganic acid mists containing

sulfuric acid: IARC Group 1

**Effective date** : 12.05.2014

#### Sulfuric Acid, 50% v/v (1:1)

| Mutagenicity:          | No additional information. |
|------------------------|----------------------------|
| Reproductive Toxicity: | No additional information. |

#### **SECTION 12 : Ecological information**

#### **Ecotoxicity**

7664-93-9: EC50 - Daphnia magna (Water flea) - 29 mg/l - 24 h

7664-93-9: LC50 - Gambusia affinis (Mosquito fish) - 42 mg/l - 96 h

Persistence and degradability: Not applicable for test method.

Bioaccumulative potential: Not Bioaccumulative.

Mobility in soil: Aqueous solution has high mobility in soil.

**Other adverse effects**: Concentrated sulfuric acid has moderate acute and chronic toxicity to aquatic life, which is driven by the pH of the aquatic environment, as a result of the presence of the acid. Small quantities will be neutralized by natural alkalinity.

### SECTION 13 : Disposal considerations

### Waste disposal recommendations:

Product/containers must not be disposed together with household garbage. Do not allow product to reach sewage system or open water. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Consult federal state/ provincial and local regulations regarding the proper disposal of waste material that may incorporate some amount of this product.

## **SECTION 14 : Transport information**


#### **UN-Number**

2796

#### UN proper shipping name

Sulfuric Acid Solution

#### Transport hazard class(es)



Packing group:|| Environmental hazard: Transport in bulk:

> Name: 49CFR173.242 Ship type: Not Applicable Pollution category: Y

**Special precautions for user**: N34: Aluminum construction materials are not authorized for any part of a packaging which is normally in contact with the hazardous material.A3: For combination packagings, if glass inner packagings (including ampoules) are used, they must be packed with absorbent material in tightly closed metal receptacles before packing in outer packagings.A3. A7. B3. B83. B84. IB2. N34. T8. TP2

#### **SECTION 15 : Regulatory information**

United States (USA)

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.05.2014

#### Sulfuric Acid, 50% v/v (1:1)

## SARA Section 311/312 (Specific toxic chemical listings):

Reactive, Acute, Chronic

## SARA Section 313 (Specific toxic chemical listings):

7664-93-9 Sulfuric acid

RCRA (hazardous waste code):

None of the ingredients is listed

## TSCA (Toxic Substances Control Act):

All ingredients are listed.

## CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

7664-93-9 sulfuric acid 1000 lb

## Proposition 65 (California):

### Chemicals known to cause cancer:

7664-93-9 sulfuric acid

## Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed

## Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed

### Chemicals known to cause developmental toxicity:

None of the ingredients is listed

## Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

## Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed

## Canadian NPRI Ingredient Disclosure list (limit 1%):

7664-93-9 Sulfuric acid

## **SECTION 16 : Other information**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.Note:. The responsibility to provide a safe workplace remains with the user.The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment.The information contained herein is, to the best of our knowledge and belief, accurate.However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material.It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

#### **GHS Full Text Phrases**:

## Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods PNEC: Predicted No-Effect Concentration (REACH) CFR: Code of Federal Regulations (USA) according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.05.2014

Page 8 of 8

### Sulfuric Acid, 50% v/v (1:1)

SARA: Superfund Amendments and Reauthorization Act (USA) RCRA: Resource Conservation and Recovery Act (USA) TSCA: Toxic Substances Control Act (USA) NPRI: National Pollutant Release Inventory (Canada) DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH)

**Effective date** : 12.05.2014 **Last updated** : 05.30.2015