

SAFETY DATA SHEET

Issue Date 15-Apr-2015 Revision Date 19-Jun-2024 Version 3

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name TEC-AN OX-50

Other means of identification

 Product Code
 369

 UN/ID No.
 UN2014

 Synonyms
 None

Recommended use of the chemical and restrictions on use

Recommended Use CIP additive

Uses advised against No information available

Manufacturer Address

Anderson Chemical Company, 325 South Davis Avenue, Litchfield, MN 55355 (320-693-2477)

Emergency telephone number

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Skin corrosion/irritation | Category 1 Sub-category A |
|------------------------------------------------|---------------------------|
| Serious eye damage/eye irritation | Category 1 |
| Oxidizing liquids | Category 3 |
| Oral: Acute Toxicity | Category 4 |
| Specific target organ toxicity-single exposure | Category 3 |

<u>Label elements</u> Emergency Overview

Danger

Hazard statements

Causes severe skin burns and eye damage

May intensify fire; oxidizer Harmful if swallowed

May cause respiratory irritation



Appearance aqueous solution

Physical state liquid

Odor Slight Pungent

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Keep away from heat.

Take any precaution to avoid mixing with combustibles.

Keep/Store away from clothing/combustible materials

Do not eat, drink or smoke when using this product

Use only in well ventilated areas

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

Specific treatment (see Section 4 on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Call a poison center/doctor if you feel unwell.

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up. Store in a well ventilated place. Keep container tightly closed.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC) Other Information

· Toxic to aquatic life with long lasting effect

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|-------------------|-----------|----------|--------------|
| Hydrogen peroxide | 7722-84-1 | 15 - 40 | |
| Phosphoric acid | 7664-38-2 | 1 - 5 | |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice Immediate medical attention is required.

Eye contact Flush immediately with water for 15 minutes. Lift upper and lower eyelids for complete

rinsing. Get immediate medical attention.

Skin Contact Flush with water for 15 minutes. Get medical attention. Remove contaminated clothing and

wash before reuse.

Inhalation Remove victim to fresh air. If breathing difficulty occurs or persists, get medical attention.

Ingestion Rinse mouth with water. Give water to dilute. Do not induce vomiting. Get immediate

medical attention. Never give anything by mouth to a semi-comatose, comatose, convulsing

or unconscious person.

Self-protection of the first aide

Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Symptoms Corrosive to eyes, nose, throat and lungs. May cause irreversible tissue damage to the

eyes including blindness. May cause skin irritation.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray may be used to keep fire exposed containers cool.

Unsuitable extinguishing media None known.

Specific hazards arising from the chemical

Oxidizer. Hydrogen peroxide itself is noncombustible. On decomposition, it releases oxygen which may support combustion or intensify a fire. Oxidizing materials may cause spontaneous ignition with combustible materials. Contact with flammables may cause fire or explosion. Risk of explosion if heated under confinement. Sealed containers may rupture when heated.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate nonessential personnel. Ventilate area. Wear appropriate personal protection

equipment. Approach spill from upwind. Eliminate ignition sources.

Environmental precautions See Section 12 for additional ecological information. Do not allow into any sewer, on the

ground or into any body of water. Prevent product from entering drains.

Methods for containment Completely contain spilled material with dikes or sand bags, etc.

not use original containers) for disposal. Dilute with large quantities of water. Avoid incompatible materials. In case of contact with clothing or combustible materials, avoid product drying out by submersion in or rinsing with water. If allowed to dry out on organic

materials or combustibles, ignition may result.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Do not get in eyes, on skin, or clothing. Do not breathe vapors or mists. Do not ingest.

Wash thoroughly after handling. Wear protective clothing/equipment. Use with adequate ventilation. Do not eat, drink or smoke when using this product. Keep from contact with clothing and other combustible materials. Heat away from heat, sparks and flames. Keep

only in original container. Do not cut, drill, grind or weld on or near this container.

Conditions for safe storage, including any incompatibilities

Storage Conditions Operate and store in cool, well-ventilated area. Keep away from heat sources. Keep away

from incompatible products. Prevent all contact with organics and combustible substances. Use equipment and containers which are compatible with the substance. Before all operations, passivate the piping circuits and vessels. Never return unused product to storage container. Containers and equipment used to handle hydrogen peroxide should be used exclusively for hydrogen peroxide. Hydrogen peroxide should not be stored in an unvented container. Keep in original container, closed. Provide containment for storage of the package. Regularly check condition and temperature of containers. Ensure adequate

supply of water in the event of an accident.

Incompatible materials Acids, bases, metals, salts of metals, reducing agents, organic materials, flammable

substances.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-------------------|------------|--------------------------------------|----------------------------|
| Hydrogen peroxide | TWA: 1 ppm | TWA: 1 ppm | IDLH: 75 ppm |
| 7722-84-1 | | TWA: 1.4 mg/m ³ | TWA: 1 ppm |
| | | (vacated) TWA: 1 ppm | TWA: 1.4 mg/m ³ |
| | | (vacated) TWA: 1.4 mg/m ³ | _ |

Appropriate engineering controls

Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Skin and body protection Suitable protective clothing. Rubber gloves.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work

area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state liquid

Appearance aqueous solution Odor Slight Pungent

Color clear colorless Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 2.9 - 4.1

Melting point/freezing point

Boiling point / boiling range

Flash point

No information available
No information available
No information available

Evaporation rate

Flammability (solid, gas)

Flammability Limit in Air

No information available
No information available

Upper flammability limit:

Lower flammability limit:

No information available

No information available

369 TEC-AN OX-50

Vapor pressureNo information availableVapor densityNo information available

Specific Gravity 1.092 - 1.112 **Water solubility** Soluble in water

Solubility in other solvents No information available **Partition coefficient** No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available No information available **Dynamic viscosity** No information available **Explosive properties Oxidizing properties** No information available

Other Information

Softening point
Molecular weight
VOC Content (%)
Density
No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Excessive heat and contamination of any kind.

Incompatible materials

Acids, bases, metals, salts of metals, reducing agents, organic materials, flammable/combustible substances.

Hazardous Decomposition Products

Oxygen.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information No data available

Inhalation May cause irritation of respiratory tract.

Eye contact Risk of serious damage to eyes.

Skin Contact Contact causes severe skin irritation and possible burns.

Ingestion Harmful if swallowed.

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-------------------|-------------------|---------------------------------|--------------------|
| Hydrogen peroxide | = 801 mg/kg (Rat) | = 4060 mg/kg (Rat) = 2000 mg/kg | = 2 g/m³ (Rat) 4 h |
| 7722-84-1 | | (Rabbit) | |

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.CarcinogenicityNo information available.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|-------------------|-------|---------|-----|------|
| Hydrogen peroxide | A3 | Group 3 | - | - |
| 7722-84-1 | | | | |

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|-------------------|-----------------------------------|-------------------------------------|----------------------------------|
| Hydrogen peroxide | 2.5: 72 h Chlorella vulgaris mg/L | 16.4: 96 h Pimephales promelas | 7.7: 24 h Daphnia magna mg/L |
| 7722-84-1 | EC50 | mg/L LC50 18 - 56: 96 h Lepomis | EC50 18 - 32: 48 h Daphnia magna |
| | | macrochirus mg/L LC50 static 10.0 - | mg/L EC50 Static |
| | | 32.0: 96 h Oncorhynchus mykiss | - |
| | | mg/L LC50 static | |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects No information available

| 13. DISPOS | SAL CONSIDERATIONS |
|------------|--------------------|
|------------|--------------------|

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

| Chemical Name | California Hazardous Waste Status |
|-------------------|-----------------------------------|
| Hydrogen peroxide | Toxic |
| 7722-84-1 | Corrosive |
| | Ignitable |
| | Reactive |

14. TRANSPORT INFORMATION

Revision Date 19-Jun-2024

369 TEC-AN OX-50 Revisior

DOT Regulated UN/ID No. UN2014

Proper shipping name Hydrogen Peroxide, Aqueous Solution

Hazard Class 5.1 (8)
Packing Group

15. REGULATORY INFORMATION

International Inventories

Complies **TSCA** Complies DSL/NDSL **EINECS/ELINCS** Complies **ENCS** Does not comply Complies **IECSC** Complies **KECL PICCS** Complies **AICS** Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Skin corrosion/irritation

Serious eye damage/eye irritation

Oxidizing liquids

Oral: Acute Toxicity

Specific target organ toxicity-single exposure

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|-------------------|--------------------------|----------------|--------------------------|
| Hydrogen peroxide | - | 1000 lb | - |
| 7722-84-1 | | | |

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|-------------------|------------|---------------|--------------|
| Hydrogen peroxide | X | X | X |
| 7722-84-1 | | | |

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

| 16 | OTHER | SINFO | $RM\Delta T$ | ION |
|-----|-------|-------|--------------|------|
| IV. | OILL | | ZIVIA | IVIN |

NFPA Health hazards 3 Flammability 0 Instability 1 Physical and Chemical

Properties OX

HMIS Health hazards 3 Flammability 0 Physical hazards 1 Personal protection X

Prepared By Imt

Issue Date15-Apr-2015Revision Date19-Jun-2024

Revision Note

No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet