

SAFETY DATA SHEET

Issue Date 11-Aug-2014

Revision Date 10-Oct-2024

Version 4

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name

BIOLOX NP-2 NF

Other means of identification	
Product Code	048
UN/ID No.	UN3264
Synonyms	None

Recommended use of the chemical and restrictions on use		
Recommended Use	Non-Phosphate Liquid Acid Cleaner.	
Uses advised against	PREVENT DISPERSION OF MISTS!	

Manufacturer Address

Anderson Chemical Company, 325 South Davis Avenue, Litchfield, MN 55355 (320-693-2477)

Emergency telephone number

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

Label elements

	Emergency Overview	
Danger		
Hazard statements Harmful if inhaled Causes severe skin burns and eye damage May be corrosive to metals		
Appearance aqueous solution	Dhusical state liquid	Odor Assiductor
	Physical state liquid	Odor Acrid odor

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Keep only in original container Use only in well-ventilated areas

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

Specific treatment (see Section 4 on this label) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store locked up

Store in a corrosive resistant container.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC) Other Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Nitric acid	7697-37-2	15-25	
Sulfuric acid	7664-93-9	5-10	

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES	
First aid measures	
Eye contact	Flush immediately with water for 15 minutes. Lift upper and lower eyelids for complete rinsing. Get immediate medical attention.
Skin Contact	Flush with water for 15 minutes. If irritation persists after rinsing, get medical attention. Remove contaminated clothing and wash before reuse.
Inhalation	Remove victim from immediate source of exposure to fresh air. If breathing is difficult, administer oxygen if available. If victim is not breathing, administer CPR. If individual experiences nausea, headache, or dizziness, get immediate medical attention.
Ingestion	Rinse mouth with water. Give water to dilute. Do not induce vomiting. Get immediate medical attention. Never give anything by mouth to a semi-comatose, comatose, convulsing or unconscious person.
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.
Most important symptoms and effects, both acute and delayed	
Symptoms	Corrosive. Causes irritation (possibly severe), burns to the eyes. May cause permanent eye damage. Causes irritation (possibly severe), burns to the skin. Causes irritation (possibly severe), burns, pulmonary edema to the respiratory tract. Causes irritation (possibly severe), burns, nausea, vomiting to the gastrointestinal tract. The severity of effects depend on concentration and how soon after exposure the area is washed.
Indication of any immediate medical attention and special treatment needed	
Note to physicians	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Do not allow water to contact product if there is a leak.

Specific hazards arising from the chemical

No information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use water spray to cool fire exposed containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate nonessential personnel. Ventilate area. Wear appropriate personal protection equipment. Remove all sources of ignition. Avoid contact with eyes, skin or clothing.
Environmental precautions	See Section 12 for additional ecological information.
Methods for containment	Stop leak if you can do it without risk. Completely contain spilled material with dikes or sand bags, etc.
Methods for cleaning up	Recover as much material as possible into containers for disposal or reuse. Remaining material may be diluted with water and neutralized. Flush spill area with water. Neutralization products, both solid and liquid, must be recovered for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Do not get in eyes, on skin, or clothing. Do not breathe vapors or mists. Do not ingest. Wash thoroughly after handling. Wear protective clothing/equipment. Use with adequate ventilation.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed and properly labeled. Containers that have been emptied will retain product residue and should be handled as if they were full. Store in a cool, dry, well-ventilated place away from incompatible materials. Wash hands before eating, drinking, using tobacco, applying make-up or using the toilet. Do not store, use, and/or consume foods, beverages, tobacco in areas where this product is stored.

Incompatible materials

- - - --

Oxidizing agent. Acids. Bases. Metals. Alcohols. Alkali. Organic material. Strong bases. Strong acids. Reducing agent. Cyanide compounds. Sulfides. Carbides.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines			
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH

Nitric acid 7697-37-2	STEL: 4 ppm TWA: 2 ppm	TWA: 2 ppm TWA: 5 mg/m ³ (vacated) TWA: 2 ppm (vacated) TWA: 5 mg/m ³ (vacated) STEL: 4 ppm	IDLH: 25 ppm TWA: 2 ppm TWA: 5 mg/m ³ STEL: 4 ppm STEL: 10 mg/m ³
		(vacated) STEL: 10 mg/m ³	
Sulfuric acid	TWA: 0.2 mg/m ³ thoracic fraction	TWA: 1 mg/m ³	IDLH: 15 mg/m ³
7664-93-9	_	(vacated) TWA: 1 mg/m ³	TWA: 1 mg/m ³

Appropriate engineering controls

Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles). Face protection shield.
Skin and body protection	Suitable protective clothing. Rubber gloves.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	liquid aqueous solution clear colorless	Odor Odor threshold	Acrid odor No information available
<u>Property</u> pH Melting point/freezing point Boiling point / boiling range Flash point	<u>Values</u> 1.0-2.0 No information available No information available No information available	Remarks • Method 1% Solution	
Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit:	No information available No information available No information available		
Lower flammability limit: Vapor pressure Vapor density Specific Gravity	No information available No information available No information available 1.164 - 1.186		
Water solubility Solubility in other solvents Partition coefficient Autoignition temperature	Soluble in water No information available No information available No information available		
Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties	No information available No information available No information available No information available No information available		
Other Information Softening point	No information available		
Molecular weight	No information available		

VOC Content (%) Density Bulk density

No information available No information available No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

High temperatures might lead to formation of nitrogen dioxide. Contact with water may cause violent reaction with evolution of heat. To dilute: Add product slowly to lukewarm water; not water to product.

Incompatible materials

Oxidizing agent. Acids. Bases. Metals. Alcohols. Alkali. Organic material. Strong bases. Strong acids. Reducing agent. Cyanide compounds. Sulfides. Carbides.

Hazardous Decomposition Products

Nitrogen oxides (NOx). Hydrogen gas may be released upon contact with certain metals. Releases sulfur dioxide at extremely high temperatures.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	No data available
Inhalation	May cause severe irritation/burns of respiratory tract.
Eye contact	Risk of serious damage to eyes.
Skin Contact	Contact causes severe skin irritation and possible burns.
Ingestion	Harmful if swallowed.

Chemical Name	ATEmix (oral)	ATEmix (dermal)	Inhalation LC50
Nitric acid 7697-37-2	-	-	= 67 ppm (Rat)4 h
Sulfuric acid = 2140 mg/kg (Rat) 7664-93-9		-	= 510 mg/m³(Rat)2 h

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure_

Sensitization Germ cell mutagenicity Carcinogenicity	No informati No informati No informati	on available.		
Chemical Name	ACGIH	IARC	NTP	OSHA
Nitric acid 7697-37-2	-	Group 2A	-	Х
Sulfuric acid 7664-93-9	A2	Group 1	Known	Х
Reproductive toxicity STOT - single exposure STOT - repeated exposure	No informati No informati No informati	on available.		

Aspiration hazard

No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)28533 mg/kgATEmix (inhalation-dust/mist)3.4 mg/lATEmix (inhalation-vapor)335 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Nitric acid	-	72: 96 h Gambusia affinis mg/L	-
7697-37-2		LC50	
Sulfuric acid	-	500: 96 h Brachydanio rerio mg/L	29: 24 h Daphnia magna mg/L
7664-93-9		LC50 static	EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient
Nitric acid	-2.3
7697-37-2	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

Chemical Name	California Hazardous Waste Status	
Nitric acid	Toxic	
7697-37-2	Corrosive	
	Ignitable	
Sulfuric acid	Toxic	
7664-93-9	Corrosive	

14. TRANSPORT INFORMATION

DOT	_
ι	JN/ID

Regulated UN3264 Corrosive liquid, acidic, inorganic, n.o.s. (nitric acid/sulfuric acid) 8 II

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Does not comply
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Percent by Weight	
Nitric acid - 7697-37-2	20.0%	
Sulfuric acid - 7664-93-9	7.5%	

SARA 311/312 Hazards Corrosive to Metal Acute Toxicity Serious eye damage or eye irritation Skin corrosion or irritation

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Nitric acid 7697-37-2	1000 lb	-	-	х
Sulfuric acid 7664-93-9	1000 lb	-	-	Х

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

	Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
ſ	Nitric acid	1000 lb	1000 lb	RQ 1000 lb final RQ
	7697-37-2			RQ 454 kg final RQ

		Sulfuric acid 7664-93-9	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ
--	--	----------------------------	---------	---------	---

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

Chemical Name	California Proposition 65	
Sulfuric acid - 7664-93-9	Carcinogen	

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Nitric acid 7697-37-2	Х	X	X
Sulfuric acid 7664-93-9	Х	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION						
NFPA	Health hazards 3	Flammability 0	Instability 1	Physical and Chemical Properties -		
HMIS	Health hazards 3	Flammability 0	Physical hazards 1	Personal protection X		
Prepared By	lmt					
Issue Date	11-Aug-2	2014				
Revision Date	10-Oct-20	024				
Revision Note						
Updated Section 15; 10-Oct-2024Updated pH and specific gravity ranges						
Disclaimer						

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet