

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
 Product name : Sterilex Ultra CIP
 Product code : See product label
 EPA Registration # : 63761-8

1.2. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Disinfectant

1.3. Supplier's details

Manufacturer

Sterilex LLC
 111 Lake Front Dr
 Hunt Valley, MD 21030 - USA
 T 443-541-8800

1.4. Emergency phone number

Emergency number : Velocity EHS (24 hours) 1-800-255-3924 (North America)
 VelocityEHS (24 hours) 001-813-248-0585 (International)

SECTION 2 Hazard identification

2.1. Classification of the substance or mixture

GHS classification

Acute toxicity (oral), Category 4
 Skin irritation, Category 2
 Serious eye damage, Category 1

2.2. Label elements

GHS labelling

Hazard pictograms (GHS) :



Signal word (GHS) :

Danger

Hazard statements (GHS) :

H302 - Harmful if swallowed
 H315 - Causes skin irritation
 H318 - Causes serious eye damage

Precautionary statements (GHS) :

P264 - Wash face, hands thoroughly after handling.
 P270 - Do not eat, drink or smoke when using this product.
 P280 - Wear protective gloves, protective clothing, eye protection, face protection.
 P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell.
 P330 - Rinse mouth.
 P302+P352 - If on skin: Wash with plenty of water.
 P362+P364 - Take off contaminated clothing and wash it before reuse.
 P332+P313 - If skin irritation occurs: Get medical advice or attention.
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 - Immediately call a poison center or doctor.

Sterilex Ultra CIP

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

P501 - Dispose of contents and container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Hazards not otherwise classified

No additional information available

2.4. Unknown acute toxicity

Not applicable

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	Conc. (% w/w)
Hydrogen peroxide	Hydrogen peroxide (H ₂ O ₂) / HYDROGEN PEROXIDE / Hydrogen peroxide, aqueous solution / Dihydrogen dioxide / Hydrogen peroxide solution ...% / Hydrogen peroxide solution / Hydrogen peroxide solution... %	CAS-No.: 7722-84-1	5 – 10
Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides	Benzyl-C12-18-alkyldimethylammonium chloride / Dimethylalkyl(C12-18)benzylammonium chloride / SDA 16-052-00 / Alkyl(C12-18)benzyltrimethylammonium chloride / n-Alkyl(C12-18)benzyltrimethylammonium chloride / Alkyl (C12-18) dimethylbenzyl ammonium chloride / N-Alkyl-dimethyl benzyl ammonium chloride / Alkyl(C12-18) benzyltrimethylammonium chloride / Alkyl (C12-18) dimethylbenzylammonium chloride / Benzyl-C12-18-alkyldimethyl, chlorides / N-Alkyl dimethyl benzyl ammonium chloride (C12-18) / Alkyl(C12-18)dimethylbenzyl ammonium chloride / C12-18 Alkyl benzyl dimethyl ammonium chloride / Benzyl-C12-18-alkyldimethylammonium chlorides / Alkyl(C12-18)dimethylbenzylammonium chloride / C12-18-Alkyldimethylbenzyl ammonium chlorides / Benzyl-C12-18-alkyldimethyl ammonium chlorides / Alkyl(C12-18)(benzyl)(dimethyl)ammonium chloride	CAS-No.: 68391-01-5	1 – 5
Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides	Alkyl(C12-14)dimethyl(ethylbenzyl)ammonium chloride / Quaternary ammonium compounds, n-alkyl(C12-14) dimethyl ethylbenzyl ammonium chloride / C12-14-Alkyldimethyl(ethylbenzyl) ammonium chlorides / Quaternary ammonium compounds, alkyl(C12-14)[(ethylphenyl)methyl]dimethyl, chlorides / C12-14-Alkyl(ethylbenzyl)dimethyl ammonium chlorides / Quaternary ammonium compounds, benzyl C12-14 alkyl ((ethylphenyl)methyl)dimethyl, chlorides / Alkyl(C12-14)-N,N-dimethyl(ethylbenzyl)ammonium chloride	CAS-No.: 85409-23-0	1 – 5

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4 First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

Sterilex Ultra CIP

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

First-aid measures after skin contact	: IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: IF SWALLOWED: Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Call a POISON CENTER/doctor if you feel unwell.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	: May cause irritation to the respiratory tract. Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
Symptoms/effects after eye contact	: Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
Symptoms/effects after ingestion	: Harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
-----------------------------------	--

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use water jet.

5.2. Specific hazards arising from the chemical

Fire hazard	: Products of combustion may include, and are not limited to: oxides of carbon. Irritating vapours.
-------------	---

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).
--------------------------------	--

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
------------------	--

For non-emergency personnel

No additional information available

For emergency responders

Environmental precautions	: Prevent entry to sewers and public waters. Collect spillage. Avoid release to the environment.
---------------------------	--

6.2. Methods and materials for containment and cleaning up

For containment	: Stop leak if safe to do so. Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective equipment.
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal.

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7 Handling and storage

Sterilex Ultra CIP

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

7.1. Precautions for safe handling

- Precautions for safe handling : Avoid breathing mist or vapours. Do not get in eyes, on skin, or on clothing. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. If medical advice is needed, have product container or label at hand. Keep container tightly closed when not in use.
- Hygiene measures : Wash contaminated clothing before reuse. Wash hands and face thoroughly after handling.

7.2. Conditions for safe storage, including incompatibilities

- Storage conditions : Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool place. Containers should be kept upright to prevent leakage. Keep away from food, drink and animal feeding stuffs. Keep away from heat and direct sunlight.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Hydrogen peroxide (7722-84-1)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH® TLV® TWA	1.4 mg/m³
ACGIH® TLV® TWA	1 ppm
Remark (ACGIH®)	TLV® Basis: Eye, URT & Skin irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
ACGIH® chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans
Regulatory reference	ACGIH 2025
USA - OSHA - Occupational Exposure Limits	
OSHA PEL TWA	1.4 mg/m³
OSHA PEL TWA	1 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
USA - IDLH - Occupational Exposure Limits	
IDLH	75 ppm
USA - NIOSH - Occupational Exposure Limits	
NIOSH REL TWA	1.4 mg/m³
NIOSH REL TWA	1 ppm
NIOSH REL 10h TWA	1 ppm
Regulatory reference (US-NIOSH)	OSHA Annotated Table Z-1 (NIOSH Pocket Guide to Chemical Hazards (NPG))

8.2. Appropriate engineering controls

- Appropriate engineering controls : Ensure good ventilation of the work station. Provide readily accessible eye wash stations and safety showers.
- Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment

Hand protection:
Wear suitable gloves resistant to chemical penetration. Consult glove manufacturer's product information on material suitability and material thickness.
Eye protection:
Wear eye/face protection

Sterilex Ultra CIP

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

None under normal conditions of use. In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. SDSs cannot provide detailed and complete respiratory protection guidelines. Selection of respiratory protection must be done by a qualified person who has assessed the work environment.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Liquid
Appearance	: No data available.
Colour	: Colourless
Odour	: Odourless
Odour threshold	: No data available
pH	: 3.01 – 6.2
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 100 °C (212 °F)
Flash point	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: 23 hPa 17.3 mmHg (20 °C/68 °F)
Relative vapour density at 20°C/ 68 °F	: No data available
Relative density	: No data available
Specific gravity	: 1.02
Solubility	: completely miscible.
Partition coefficient n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Explosive limits	: No data available
Particle characteristics	: No data available
Bulk density	: 8.53 lb/gal
VOC content	: 0.0116%

Hydrogen peroxide

Boiling point	114 °C
Particle characteristics	No data available

Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides

Vapour pressure	0 Pa (at 25 °C)
Particle characteristics	No data available

SECTION 10 Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

Sterilex Ultra CIP

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat. Incompatible materials.

10.5. Incompatible materials

Strong oxidizing agents. Strong acids.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon. Irritating fumes. Thermal decomposition generates : Corrosive vapours.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified.
Acute toxicity (inhalation) : Not classified.

Sterilex Ultra CIP

LD50 oral rat	550 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat	> 2 mg/l

Hydrogen peroxide (7722-84-1)

LD50 oral rat	1518 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	9200 mg/kg (Source: EU_RAR)

Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides (68391-01-5)

LD50 oral rat	850 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit	2300 mg/kg (Source: CHEMVIEW)

Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides (85409-23-0)

LD50 oral rat	344 mg/kg bodyweight Animal: rat
LD50 dermal rabbit	2300 mg/kg (Source: ECHA_API)

Skin corrosion/irritation : Causes skin irritation.
pH: 3.01 – 6.2
Serious eye damage/irritation : Causes serious eye damage.
pH: 3.01 – 6.2
Respiratory or skin sensitisation : Not classified.
Germ cell mutagenicity : Not classified.
Carcinogenicity : Not classified.

Hydrogen peroxide (7722-84-1)

IARC group	3 - Not classifiable
------------	----------------------

Reproductive toxicity : Not classified.
STOT-single exposure : Not classified.

Hydrogen peroxide (7722-84-1)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

STOT-repeated exposure : Not classified.
Aspiration hazard : Not classified.

Sterilex Ultra CIP

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

Sterilex Ultra CIP	
Viscosity, kinematic	No data available
Hydrogen peroxide (7722-84-1)	
Viscosity, kinematic	No data available
Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides (68391-01-5)	
Viscosity, kinematic	No data available
Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides (85409-23-0)	
Viscosity, kinematic	No data available

SECTION 12 Ecological information

12.1. Ecotoxicity

Ecology - general : Toxic to aquatic life.
Hazardous to the aquatic environment, short-term (acute) : Not classified.
Hazardous to the aquatic environment, long-term (chronic) : Not classified.

Sterilex Ultra CIP	
LC50 - Fish	5.8 mg/l 96 hr LC50 Species: Fathead minnow (Freshwater fish)
EC50 - Other aquatic organisms	3.5 mg/l 48 hr LC50 Species: Ceriodaphnia dubia (Freshwater invertebrate)
Hydrogen peroxide (7722-84-1)	
LC50 - Fish [1]	16.4 mg/l (Exposure time: 96 h - Species: Pimephales promelas Source: IUCLID)
EC50 - Crustacea [1]	18 – 32 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 - Fish [2]	18 – 56 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
EC50 72h - Algae [1]	1.38 mg/l Test organisms (species): Skeletonema costatum
LOEC (chronic)	1.25 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.63 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

12.2. Persistence and degradability

Sterilex Ultra CIP	
Persistence and degradability	Not established.
Hydrogen peroxide (7722-84-1)	
Persistence and degradability	Rapidly degradable
Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides (68391-01-5)	
Persistence and degradability	Rapidly degradable
Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides (85409-23-0)	
Persistence and degradability	Rapidly degradable

12.3. Bioaccumulative potential

Sterilex Ultra CIP	
Bioaccumulative potential	Not established.

Sterilex Ultra CIP

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

Hydrogen peroxide (7722-84-1)	
BCF - Fish [1]	(no bioaccumulation)

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects



Ozone	: Not classified.
Fluorinated greenhouse gases	: No
Other information	: No other effects known.

SECTION 13 Disposal considerations

Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
--	---

SECTION 14 Transport information

In accordance with DOT / TDG / IMDG / IATA

DOT US Ground Transport	TDG Canada Ground Transport	IMDG Maritime Transport	IATA Air Transport
14.1. UN number			
Not regulated	UN3082	3082	3082
14.2. Proper Shipping Name			
Not regulated	Environmentally hazardous substance, liquid, n.o.s. (Quaternary ammonium compounds)	Environmentally hazardous substance, liquid, n.o.s. (Quaternary ammonium compounds)	Environmentally hazardous substance, liquid, n.o.s. (Quaternary ammonium compounds)
14.3. Transport hazard class(es)			
Not regulated	9	9	9
			
14.4. Packing group			
Not regulated	III	III	III
14.5. Environmental hazards			
Not regulated	Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes
Not regulated	Note: Canada Ground Transport is regulated for package sizes over 450 L. Not regulated if under 450 L. For more information please reference TDG Special Provisions in Section 14.7.	Note: Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.	Note: Limited Quantity for packages less than 30 kg gross and inner packagings less than 0.5 L each / 1 L net.

14.6. Transport in bulk

Not applicable

Sterilex Ultra CIP

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

14.7. Special precautions for user

Special transport precautions	: Do not handle until all safety precautions have been read and understood.
DOT	
Not regulated	
TDG	
UN-No. (TDG)	: UN3082
TDG Special Provisions	: 16 - (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the danger or dangers posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3). (2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name: (a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S; (b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S; (c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S; (d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or (e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S. (3) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a small means of containment: (a) UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or (b) UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS,99 - (1) Mixtures of solids that are not dangerous goods and liquids or solids that are UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S, or UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S, may be offered for transport, handled or transported as UN3077 if there is no visible liquid when the dangerous goods are loaded into a means of containment and during transport. (2) These Regulations, except for Parts 1 and 2, do not apply to the offering for transport, handling or transport of less than 450 kg of UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S, or less than 450 L of UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S, on a road vehicle or a railway vehicle. The dangerous goods must be contained in one or more small means of containment designed, constructed, filled, closed, secured and maintained so that under normal conditions of transport, including handling, there will be no release of the dangerous goods that could endanger public safety.
Explosive Limit and Limited Quantity Index	: 5 L
Excepted quantities (TDG)	: E1
Emergency Response Guide (ERG) Number	: 171
IMDG	
No data available	
IATA	
No data available	

SECTION 15 Regulatory information

15.1. Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides	CAS-No. 85409-23-0
---	--------------------

FIFRA Labeling

EPA Registration Number	63761-8
-------------------------	---------

Sterilex Ultra CIP

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

FIFRA Labeling

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: Refer to product label for hazards and precautionary statements.

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories except for:

Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides

CAS-No. 85409-23-0

15.2. International regulations

No additional information available

15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16 Other Information


According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

Revision date : 2026-01-29
Issue date : 2022-09-22
Other information : None.
Prepared by : Nexreg Compliance Inc.
www.Nexreg.com



NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.
NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.

Hazard Rating
Health : 2 Moderate Hazard - Temporary or minor injury may occur
Flammability : 0 Minimal Hazard - Materials that will not burn
Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.



Indication of changes:

V1.1 VOC content

V2.1 SDS update.

V2.2 Transport information.

SDS HazCom 2024 - WHMIS 2022 (Nexreg) 2025

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.